


RECIPROCATING GAS COMPRESSOR

Meeting Your Expectations



- » Proven Solutions for Industrial Gas Compression.
- » Compliance to International Standards
- » Designed for Safe Operation

- » High Performance In Low and Medium Speed Applications
- » Installation Services
- » Assured Post Sales Support



Refineries



Chemicals



Oil & Gas



Food & Beverages



Pulp & Paper



Fertilizer

KPCL operates from its factory located at Pune, India, with state of the art facilities for Research & Development, Manufacturing and other Business processes. It has an inhouse foundry, sophisticated testing labs, CNC machining centres, heat treatment furnaces, an exhaustive testing facility and NABL approved laboratory.



Established in the year 1958, Kirloskar Pneumatic Company (KPCL) Limited is a pioneer in Compressed Air & Gas Solutions. Kirloskar Pneumatic Company Ltd., a flagship company in Kirloskar group, has grown over the past 56 years by serving it's customers with different types of air and gas compressor requirement. The multi-product company has transformed with cutting-edge products and processes to meet the innovative demands and applications from the Industry. The company has a strong presence in the global market with customers in more than 40 countries.

Kirloskar Gas compressors are modular, economical and reliable to provide the most efficient industrial gas solutions to its users. Balanced opposed pistons offer the most robust designs for application in this industry.

limitless

Gases Handled

- » Hydrogen
- » Methyl Chloride
- » Carbon Dioxide (Dry & Wet)
- » Natural Gas
- » LPG
- » Bone Dry Nitrogen
- » Dry Cracked Ammonia (Hydrogen Rich)
- » Methane
- » R32
- » Bio-Gas
- » Crude Gas (mixture of C2F4 & R22)
- » Inert Gases
- » Freon
- » Ammonia
- » Argon
- » Tetrafluoroethylene (TFE)
- » Acetaldehyde
- » Vinyl Chloride
- » Feed Gas
- » Propane

Note: For other gases please contact our nearest office | head office.

Energy Efficient Selection

Compressor selection, on specific customer requirements are done through sophisticated software which offers energy efficient solutions. The availability of proven cylinder groups ranging from 18mm to 660 mm diameter ensures wide range of flows and pressures.

Compliance to Standards

Kirloskar Gas Compressors can be designed as per API 618, API 11 P, ISO 1940, ISO 10816, API 671, API 677, API 661, ASME Section VIII, TEMA, ASME B 31.1 & B31.3, API RP 520, OSHA, IEC 60079, IEC 60529, IS 2148 and IS 4758, to name a few.

Pre-tested for Leak proofing

Oil arrestor rings prevents contamination of gas with oil by isolating the oil in the first compartment of distance piece. Valves, valve seals, interconnecting piping, instrumentation, etc. pass through dual checks before installations. Rigorous testing of these packages ensures proper quality check for gas leak proof operation.

Pre-tested for performance

Each assembly of every Kirloskar Compressor undergoes careful testing in a state of the art In-house Metrology Lab. Completely assembled packages are then tested on specially designed test beds at variable load settings.

Design Infrastructure

Design Kirloskar Compressors includes seismic analysis, shock analysis, pulsation study, torsional analysis, structural design, thermal analysis using HTRI, FEA using Ansys, plant layout using PDMS software, piping & support flexibility and computerised selection of optimum cylinder combination for energy efficient operation.

We also offer engineered solutions to cater specific applications.


Kirloskar Reciprocating Gas Compressors

Constructional Features

- » **Self Lubricating Piston and rider rings:** Special rings to ensure longer duty cycle.
- » **Ribbed Crankcase:** For heavy duty operation.
- » **Heavy-duty Cylinder design:** Hydrostatic testing at 1.5 times the rated pressure to ensure maximum strength.
- » **Perfect Crosshead:** Machine finished crosshead ensures perfect guiding.
- » **Lightweight pistons:** Reduced weight results in lesser inertia forces and hence higher energy saving.
- » **Efficient Plate valves:** Valves with greater flow area come with the standard package.

Kirloskar Offerings

- » **Working Pressure:** up to 400 kg/cm²g
- » **Capacity:** 11,000 m³/hr
- » **Power requirement:** upto 1200 hp



Maintenance Contracts

- » **Performance Checkup:** Periodic checkup is necessary to analyse health of compressors and to ensure timely service if required.
- » **Spare stock:** Adequate spare inventory with KPCL dealerships ensure timely supply at the time of requirement, avoiding delay.
- » **Energy audits:** Certified KPCL representatives are equipped with various flowmeters, data loggers and other related audit instruments to carry out these audits. Complete audit of the plant is also carried out and suggestions for energy conservation are shared with the customer.
- » **Scheduled Services:** Breakdowns lead to heavy losses which can be prevented by periodic services. Annual contracts indicate regular intervals when services are to be carried out and ensure longer uptime.
- » **On call services:** Unexpected breakdowns can cause severe production losses. We make sure every emergency call is addressed with priority.

Training Programs

- » **Classroom:** In house training center caters to requirement of training to customer's user and maintenance staff. These programs give complete information about the principles of operation of the compressors and maintenance procedures.
- » **Onsite:** Training staff provides live demonstration in the factory premises and also provides training at customer works, if required.
- » **Training Calender:** To participate in training, please contact us for Training Calender.



ENDURANCE

- » Reliability and efficiency in adverse conditions, high altitudes, high temperatures



RELIABLE

- » Designed for continuous operation
- » Minimal vibration and noise
- » Sophisticated latest - μ control system



EASY TO INSTALL

- » Ready to install
- » No special foundations or anti-vibration precautions
- » Small installation space



ENERGY EFFICIENT

- » Optimum design to deliver maximum Nm²/kW
- » Lower total operating cost
- » Lower life cycle cost



ENVIRONMENT FRIENDLY

- » Oil -free
- » Low carbon footprint



Service and Support

Our commitment is not restricted to only ensuring maximum uptime of the compressors but also provide solutions to optimise them. Technology upgrades as well as energy audits are carried by our representatives to suggest the best energy conservation practices.

We offer both standard and customer specific service packages as per requirement. State-of-the-art service center, inspection and testing facilities are equipped to completely overhaul and optimise the compressors.

Kirloskar Pneumatic Company Limited

A Kirloskar Group Company

REGD. OFFICE & WORKS : Pune : Hadapsar Industrial Estate, PUNE 411 013. Ph : 020 - 26870133 / 26727000 Fax : 020 - 26870297 / 26870634. Email : transmissions@kirloskar.com

MUMBAI : 1002, 10th Floor, Vikas Centre, Dr. C.G. Road, Opp. Bombay Presidency Golf Club, Chembur (East), Mumbai 400 074
Tel: 022 - 25219500
Fax: 022 - 25181313
E-mail: sandeep.tiwari@kirloskar.com
netra.ghangurde@kirloskar.com

HYDERABAD : 3-5-907, 403-404, Mahavir Lok, Himayatnagar, Hyderabad 500 029

Tel: 040 - 23260743, 23260746,
Fax: 040 - 23260171
E-mail: kpclhyderabad@kirloskar.com

DELHI : 607, Manjusha Building, 57 Nehru Place, New Delhi 110 019

Tel: 011 - 26289982, 26421346
Fax: 011 - 26429685
E-mail: acdmktg@kirloskar.com

KOLKATA : 15 GaneshChandra Avenue, 9th Floor, Kolkatta 700 013

Tel: 033-22119080, 22119081, 22111905
Fax: 033 - 22365586, 22116948
E-mail: acdmktgkol@kirloskar.com

CHENNAI : B-WING, 5th floor, KGN TOWERS, No.62, Ethiraj Salai, Egmore, Chennai 600 008

Tel: 044 - 28193066, 28190436, 28192092, 30910143/0144
Fax: 044 - 28194937
E-mail: kpclchnacd@kirloskar.com

VADODARA : Chi Chi Tower, A, Killol Children Hospital Lane, Tana Apartment, Ellora Park, Subhanpura, Vadodara 390007

Tel: 0265 - 2284604, 2284605
Fax: 0265 - 2280095
E-mail: kpclbrd@gmail.com

www.kirloskarpneumatic.com

CIN: L29120PN1974PLC110307

N2721000.688.00 V2 FEB 2024

